



# CLEANING LINE

*by Bieffe Farinelli*



*Bieffe is promoter of the initiative **PERCHÉ BUTTARE?**® (Why throwing away?)  
that encourages reconditioning as alternative to consumption*



[www.bieffeitalia.eu](http://www.bieffeitalia.eu)

✓ WATER/DETERGENT ✓ STEAM ✓ VACUUM ✓ INJECTION/EXTRACTION ✓ WET VACUUM CLEANER

# EMILIO EMILIO RA

# EMILIO PLUS EMILIO RA PLUS

Professional vacuum/liquid suction steam cleaner.

Emilio is a range of machine that use the power of steam for the cleaning and hygiene. All machines have a cooper boiler (explosion-proof material) with two external heating elements. Precise devices, the best on the market, such as thermostat, pressurestat and solenoid valve, guarantee the maximum safety by controlling automatically the correct functioning. All machine are equipped with a powerfull wet/dry vacuum nad a wide range of accessories, wich enable the user to eliminat the dirt even from the most difficult and inaccessible places.

## EMILIO - EMILIO PLUS - EMILIO RA



## EMILIO RA PLUS



## TROLLEY EMILIO (OPTIONAL)



## HANDLES INCLUDED



**CVP**  
Steam & Vac flexible  
F/Bieffe EMILIO – 2mt



**MGK01NW**  
Steam handle – 2mt

## INCLUDED ACCESSORIES EMILIO - CLEAN VAPOR - CLEAN VAPOR JUNIOR



**CVA**  
Steam/Vac lance acc.  
holder D80



**CVB**  
Small brush diam. 20  
mm – PVC bristles



**CVC**  
Vacuum nozzle – L  
140 mm



**CVD**  
Small brush  
F/Heaters



**CVE**  
Vacuum lance diam.  
36 mm



**CVF**  
Brush black Moplen  
diam. 36 mm



**CVG1**  
Steam & Vac  
squeegee 150 Ne



**CVG2**  
Insert rubber  
squeegee 150 mm  
for CVG1

## TECHNICAL DATA

	EMILIO ref. BF089E	EMILIO PLUS ref. BF089EPL	EMILIO RA ref. BF089RE	EMILIO RA PLUS ref. BF089REPL
POWER	220-240V 50-60 Hz	220-240V 50-60 Hz	220-240V 50-60 Hz	220-240V 50-60 Hz
BOILER CAPACITY	2,8 lt	2,8 lt	2,4 lt	2,4 lt
BOILER REFILL	Manual	Manual	Automatic	Automatic
BOILER POWER	1000W+1000W	1000W+1000W	1000W+1000W	1000W+1000W
STEAM TEMPERATURE (BOILER)	165°C	165°C	165°C	165°C
STEAM PRESSURE	6 Bar	6 Bar	6 Bar	6 Bar
STEAM PRODUCTION	43 g/m	43 g/m	43 g/m	43 g/m
LIQUID/DUST VACUUM POWER	1400W two-stage	1400W two-stage	1400W two-stage	1400W two-stage
ASPIRATOR DEPRESSURE	203 mc/h	203 mc/h	203 mc/h	203 mc/h
STEEL DRUM CAPACITY	14 Lt	14 Lt	14 Lt	14 Lt
DIMENSIONS	36x36x65 cm	36x36x65 cm	36x36x65 cm	36x36x65 cm
WEIGHT	20,5 Kg	21,5 Kg	21,5 Kg	22 Kg

✓ HOT WATER/DETERGENT ✓ STEAM ✓ VACUUM ✓ INJECTION/EXTRACTION ✓ WET VACUUM CLEANER

# CLEAN VAPOR CLEAN VAPOR PLUS CLEAN VAPOR JUNIOR

Steam generator for cleaning with vacuum cleaner, wet vacuum cleaner and detergent

Clean Vapor is a range of machines, developed for the cleaning and hygiene of public premises (hotels, restaurants, food stores, hospitals, beauty center and gyms) as for laboratories (bakeries, pastry shop, cheese factories, dental technicians and medical studies), where the maximum hygiene is required according to the european norms of selfcontrol HACCP.

All machines are quipped with a powerful wet/dry vacuum and a wide range of accessories, which enable the user to eliminate the dirt even from the most difficult and inaccessible places. Optional accessories connected to the machines allow the treatment of special surfaces (upholstery, sofas, armchairs, parquet, etc.) or the removal of resistant dirt (chewing-gum, etc.).

## CLEAN VAPOR - CLEAN VAPOR PLUS



## CLEAN VAPOR JUNIOR



## HANDLES INCLUDED



**CVPCV**  
Steam & vac Flex. F/  
Bieffe Clean V. – L 2 mt



**MGK01NW**  
Steam handle – 2mt

## INCLUDED ACCESSORIES EMILIO - CLEAN VAPOR - CLEAN VAPOR JUNIOR



**CVG3**  
Insert Squeegee 150  
mm. – Pvc bristles



**CVH**  
Steam & Vac nozzle  
diam. 13 300 mm  
black



**CVI**  
Rubber insert diam 13  
300 mm



**CVL**  
Strip/Bristles insert  
diam. 13 300 mm



**CVM**  
Slide insert diam. 13  
300 mm – M



**CVON (X2)**  
Steam & vac  
extension L 40 mm



**MGK04N**  
Steam lance



**MGLND**  
Curved small brush  
diam. 26 mm for  
MGK04N – Nylon  
bristles

## TECHNICAL DATA

	CLEAN VAPOR JUNIOR ref. BF090JN	CLEAN VAPOR ref. BF090E	CLEAN VAPOR PLUS ref. BF090EPL
POWER	220-240V 50-60 Hz	220-240V 50-60 Hz	380V 50-60 Hz
BOILER CAPACITY	3,5 lt	5 lt	5 lt
BOILER REFILL	Automatic	Automatic	Automatic
BOILER POWER	1300W+1300W	1500W+1500W	1500W+1500W+1500W
STEAM TEMPERATURE (BOILER)	180°C	190°C	190°C
STEAM PRESSURE	6 Bar	6 Bar	6 Bar
STEAM PRODUCTION	53 g/m	60 g/m	90 g/m
LIQUID/DUST VACUUM POWER	1300W two-stage	1400W two-stage	1400W two-stage
WATER/DETERGENT TANK	5 lt	10 lt	10 lt
STEEL DRUM CAPACITY	20 Lt	23 Lt	23 Lt
DIMENSIONS	30x56xh100h cm	40x59xh115h cm	40x59xh115h cm
WEIGHT WITH ACCESSORIES	31 kg	40 kg	44,5 kg



✓ HOT WATER/DETERGENT ✓ STEAM ✓ VACUUM ✓ INJECTION/EXTRACTION ✓ WET VACUUM CLEANER

# ECOWASH

Professional steam generator for car-wash and industrial use with va-

ECOWASH is a power steam generator designed for cleaning large industrial and public sites. The range of action for the use of steam generators of this line is very wide: from professional kitchens, hotel rooms, swimming pools, warehouses, industrial premises (tool cleaning and industrial equipment) to food production. The accessories used for ECOWASH give the possibility to treat different surfaces: upholstery, sofas, armchairs, parquet, tiles, metal, plastic, it also removes chewing gum.





## BF4000 BF4000 VACUUM

High-pressure steam cleaner for cleaning.



High pressure steam generator, available in two versions: with and without vacuum. It is the ideal machine for industrial cleaning in general and for steam car washing, also at home. BF 4000 is a diesel-powered steam generator that delivers 35Kw of steam (42Kg/h). The steam and detergent functions can be actuated directly on the gun with mechanical and quick control system.


### INCLUDED ACCESSORIES ECOWASH e BF4000

Mechanical lances	
	RIP2314 - Steam lance "heavy duty" 45° - 300 mm
	RIP0406 - Steam gun Hose BF4000 8mt
	RIP2321 - Straight steam wand - 200 mm
	RIP2322 - Steam lance Athermic bent - 900 mm
	RIP2323 - Steam lance Athermic bent - 1200 mm

Mechanical steam/detergent lances	
	RIP0401 - L20cm hose 7mt
	RIP0402 - L50cm hose 7mt
	RIP0403 - L130cm hose 7mt



Handles for upholstery or floors/surfaces	
	



### TECHNICAL DATA

	ECOWASH ref. BF320	ECOWASH ref. BF320PL	ECOWASH ref. BF320PLBFR	BF4000 VAPOR ref. BF601	BF4000 VACUUM ref. BF602
POWER	220V-240V 50-60Hz	380V 50/60Hz	380V 50/60Hz	220V-240V 50Hz	220V-240V 50Hz
BOILER POWER	Electric			Diesel fuel tank 45 lt	
BOILER POWER	3000W	4500W	6500W	350W 220V + 1200W	350W 220V + 1200W
BOILER CAPACITY	5 lt	5 lt	5 lt	16 lt	16 lt
STEAM PRESSURE	6 Bar	6 Bar	6 Bar	10,5 bar	10,5 bar
STEAM TEMPERATURE (BOILER)	180°C	180°C	180°C	180°C	180°C
STEAM PRODUCTION	60 g/min	90 g/m	130 g/min	700 g/min	700 g/min
STEAM OUTLETS	3	3	3	10 bar	10 bar + 6 bar
VACUUM ENGINE	1200W	1200W	1200W	-	1200W
VACUUM NOISE LEVEL	62 dB(A)	62 dB(A)	62 dB(A)	-	62 dB
STEEL DRUM VOLUME	20 lt	20 lt	20 lt	-	20 lt
WATER TANK	10 lt	10 lt	10 lt	WATER SUPPLY/TANK 10 lt	
DETERGENT TANK	10 lt	10 lt	10 lt	3 lt	3 lt
SIMULTANEOUS INJECT/EXTRACT/HOT WATER	✓	✓	✓	✓	✓
SIMULTANEOUS STEAM/ASPIRATION/HOT WATER	✓	✓	✓	✓	✓
TWO STEAM OUTLETS ( FOR MORE OPERATORS AT THE SAME TIME)	Injection/extraction lance + Steam gun			2 Steam guns	
DIMENSIONS	58x63xh108 cm	58x63xh108 cm	58x63xh108 cm	110x70x90h cm	110x70x90h cm
WEIGHT	45 kg	45 kg	45 kg	110 kg	135 kg

# ACCESSORIES AVAILABLE

BIEFFE offers a wide range of handles and accessories for different applications, and detergents for specific uses. See below for some of our solutions.

## Small brushes diam.26 for MGK04N



MGLND - Nylon bristles  
MGLNE - Brass bristles

## Steam/water/vacuum handles for upholstery



CVK21E - 4mt  
CVK21EC - 5mt  
CVK21ED - 8mt

## Brushes for mechanical lances diam.60/80 1/8 F



RIP5171 - diam.60 PVC bristles  
RIP5172 - diam.60 brass bristles  
RIP5173 - diam.60 steel bristles  
RIP5174 - diam.60 natural bristles  
RIP5175 - diam.80 brass bristles  
RIP5176 - diam.80 steel bristles

## Small brushes diam.20 M10 for RIP0603



RIP5221 - Nylon bristles  
RIP5222 - Steel bristles  
RIP5223 - Brass bristles  
RIP5224 - Pekalon bristles

## Small brushes diam.28 for MGK04NC



MGLN - Nylon bristles  
MGLNA - Steel bristles  
MGLNB - Brass bristles  
MGLNC - Pekalon bristles



**MGK01E05**  
Steam gun flex 5mt



**RIP0603**  
Steam gun 1 exit with corrugated tube



**MGK04NC**  
Curved steam lance 400 mm



**MGK04AN**  
Curved steam lance brass 12cm




**MGK04BN**  
Steam lance brass extension 19cm



**CVK20**  
Steam/vacuum nozzle for upholstery



**CVEB**  
Inject./extract. nozzle for carpet floors 280mm



**CVK71**  
Steam/vacuum brush with brass bristles for kitchen



**CVG4**  
Brush with brass bristles for CVG1



**CVG3B**  
Brush with nylon hard bristles for CVG1



**CVK20S**  
Transparent nozzle inject./extract.



**CVG**  
Nozzle for windows inject./extract. 250mm



**CVK36N**  
Sanitizer nebulizer for MGK01



**CVK37N**  
Sanitizer nebulizer for CVP



**CVK51**  
Steel extension inject./extract. 1mt



**CVT**  
Nozzle for carpet floor inject./extract. 240mm



**CVK30**  
Tube inject./extract. for chewing-gum 1mt




**CVCG**  
Nozzle inject./extract. for chewing-gum



**CVK49**  
Steam & vac tool F/ Carpet 100 cm



**CVK11**  
Flexible vacuum hose F/CVK11 - L 3mt



**RIP0801**  
Steam mop Professional - 5mt



**CVK54**  
Steam & vac nozzle F/ Helmets



**CV118**  
Vacuum blowing motor



**CVH2**  
Steam & Vac nozzle diam 12 400 mm black



**CVM2**  
Insert slide diam. 12 400 mm - M2



**CVI2**  
Insert rubber D12 400 mm - I2



**CVL2**  
Insert Strip/Bristles diam. 12 400 mm - L2



**CVK106**  
Silicone brush steam & vacuum

## DETERGENTS



Removing chewing gum, floors and upholstery, degreasing, hydrogen peroxide, alcohol...

## SWEEPERS




**FLASH BIEFFE**  
Line of sweepers for gyms, driveways, workshops, industries, etc.

## DRYING



**CARFON**  
Dryer for car interiors, seats and upholstery.

## OZONE FOR SANITIZATION



**OZONO BIEFFE e OZONO BIEFFE PLUS**  
Ozone generator for sanitization of small/medium environments.



Via Costa di Fagnano 3, 61122 Pesaro (PU), Italy  
T/Whatsapp +39 0721.28.18.57 - info@bieffeitalia.it - www.bieffeitalia.it  
f bieffefarinelli y Bieffe Farinelli i bieffe\_farinelli

✓ STEAM ✓ VACUUM ✓ INJECTION/EXTRACTION

# MAGIC VAPOR

Steam generator for cleaning and ironing



✓ STEAM ✓ VACUUM ✓ INJECTION/EXTRACTION

# MAGIC VAPOR RA MAGIC VAPOR RA 3kW

Steam generator for cleaning with automatic water refilling system



AVAILABLE TROLLEY  
ACCESSORY-HOLDER BF503/BF504

## INCLUDED ACCESSORIES MAGIC VAPOR / MAGIC RA



**MGK01NW**  
Steam handle - 2mt



**MGK02N (X2)**  
Steam extension  
Konfort 41 cm



**MGK03N**  
Connector tool  
Konfort



**MGK04N**  
Steam lance



**MGLND**  
Curved small brush  
diam. 26 mm for  
MGK04N - Nylon  
bristles



**MGK06N**  
Triangular  
steam brush



**MGK07N**  
Rectangular steam  
brush W/Hook



**MGK05N**  
Steam squeegee  
Konfort

AVAILABLE **MICROFIBRE MOP**



✓ STEAM ✓ INJECTION/EXTRACTION

# STEAM 3000

Steam generator for cleaning



## INCLUDED ACCESSORIES



**MGK01E05**  
Steam handle 5mt



**CVK36N**  
Steam nebulizer



**MGK04N**  
Steam lance



**MGLND**  
Curved small brush  
diam. 26 mm for  
MGK04N - Nylon  
bristles

AVAILABLE **DOUBLE STEAM OUTPUT**  
AVAILABLE **KIT CLEANING BARRELS**

## TECHNICAL DATA

	MAGIC VAPOR ref. BF005/ BF002	MAGIC VAPOR RA ref. BF009	MAGIC VAPOR RA 3kW ref. BF009PL	STEAM 3000 ref. BF420	STEAM 3000 ref. BF420PL	STEAM 3000 ref. BF420PL2
POWER	220-240V 50-60 Hz	220-240V 50-60 Hz	220-240V 50-60 Hz	220-240V 50-60 Hz	380V 50-60 Hz	380V 50-60 Hz
BOILER CAPACITY	2,8 lt	2,4 lt	2,8 lt	5 lt	5 lt	5 lt
BOILER REFILL	Manuale	Automatica	Automatica	Automatica	Automatica	Automatica
BOILER POWER	1300W	1200W+1200W	3000W	3000W	4500W	6500W
STEAM TEMPERATURE (BOILER)	165°C	165°C	165°C	180°C	180°C	180°C
STEAM PRESSURE	4,8 Bar	6 Bar	6 Bar	6 Bar	6 Bar	6 Bar
STEAM PRODUCTION	26 g/m	48 g/m	60 g/m	58 g/min	90 g/min	130 g/min
DIMENSIONS	25x38x30h cm	27x39x39h cm	28,5x38x48 cm	48x36x100 cm	48x36x100 cm	48x36x100 cm
WEIGHT NO ACCESSORIES	8 kg	9 kg	11 kg	31 kg	31 kg	31 kg
WEIGHT WITH ACCESSORIES	10 kg	11 kg	13 kg	33,5 kg	33,5 kg	33,5 kg
ADJUSTABLE STEAM SYSTEM	✓	✓	✓	✓	✓	✓
PREDISPOSITION IRONING USE	✓	✓	✓	-	-	-